

## Gator-Laid® Wire Rope Slings

For heavy lifting, Gator-Laid® Wire Rope Slings are the most efficient and flexible multi-part wire rope slings that meet all industrial and regulatory standards. These slings have metal sleeves for the splice connection and parallel-laid wire in the eyes. They are heavy-lift slings that can be made in short working lengths.

Gator-Laid® products were developed in conjunction with the offshore oil industry to provide the world's best heavy-lift wire rope slings.



### GATOR-LAID® SLINGS TECHNICAL CHART

Finished Diameter	Component Parts	Standard Eye Size	Vertical Rated Capacity (tons)	Choker Rated Capacity (tons)	Basket Rated Capacity (tons)	Weight Per Foot (lbs.)
1-3/4"	7/16"	22"	14.6	10.9	29.2	3.15
2"	1/2"	24"	19.1	14.3	38.2	4.14
2-1/4"	9/16"	26"	24.1	18.0	48.2	5.31
2-1/2"	5/8"	28"	29.6	22.2	59.2	6.48
3"	3/4"	30"	42.3	31.7	84.6	9.36
3-1/2"	7/8"	35"	57.3	42.9	114.6	12.78
4"	1"	40"	74.4	55.8	148.4	16.65
4-1/2"	1-1/8"	45"	93.6	60.2	167.2	21.06
5"	1-1/4"	50"	115.0	86.2	230.0	26.01
5-1/2"	1-3/8"	55"	138.2	103.6	276.4	31.50
6"	1-1/2"	60"	164.1	123.0	328.2	37.44
7"	1-3/4"	70"	220.3	165.2	440.6	51.03
8"	2"	80"	285.1	213.8	570.2	66.51
9"	2-1/4"	90"	355.6	266.7	711.2	84.24
10"	2-1/2"	100"	434.8	326.1	869.6	104.00

**NOTE:** Rated capacity is based on 5:1 Design Factor.

**WARNING** Inspect before use. Follow OSHA, ANSI B30.9 and Manufacturer's Guidelines. Use by untrained persons is hazardous. Improper use will result in serious injury or death. Do not exceed rated capacity. This product will fail if damaged, abused, misused, overused or improperly maintained.